

#### Pfizer-BioNTech COVID-19 Vaccine Products At-A-Glance

Maroon cap: 6 Months through 4 Years of Age Orange cap: 5 through 11 years of age Gray or Purple cap: 12 years of age and older





The tables below summarize basic storage, preparation, scheduling, administration, and dosage for Pfizer-BioNTech COVID-19 Vaccine. Use this table in conjunction with materials below:

#### **EUA Fact Sheet**

www.fda.gov/emergencypreparedness-and-response/ coronavirus-disease-2019covid-19/comirnaty-and-pfizerbiontech-covid-19-vaccine



# CDC Interim Clinical Considerations

www.cdc.gov/ vaccines/covid-19/ clinical-considerations/ covid-19-vaccines-us.html



## CDC Clinical Materials

www.cdc.gov/vaccines/ covid-19/info-by-product/ pfizer



## Interim COVID-19 Vaccination Schedule www.cdc.gov/vaccines/

covid-19/downloads/ COVID-19-immunizationschedule-ages-5yrs-older.pdf



# **Storage and Handling Basics**

**NOTE:** Find additional guidance on storing the vaccine properly at:

- CDC's COVID-19 Clinical materials for Pfizer COVID-19 Vaccine: <a href="www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/storage">www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/storage</a>
- CDC's Storage and Handling Toolkit: www.cdc.gov/vaccines/hcp/admin/storage/toolkit/index.html

Vial cap color	Maroon Cap	<b>Orange Cap</b>	Gray Cap	Purple Cap			
Ages	6 months through 4 years	5 through 11 years	12 years and older				
Supplied in multidose vial	10 doses per vial Requires diluent	10 doses per vial Requires diluent	6 doses per vial No diluent	6 doses per vial Requires diluent			
Storage Temperature: Before Puncture	Between: -90°C and -60°C (-130°F an 2°C and 8°C (36°F and 46°F  Do NOT store vaccing	Between:  -90°C and -60°C (-130°F and -76°F) until the expiration date <sup>†</sup> -25°C to -15°C (-13°F to 5°F) for up to 2 weeks  2°C and 8°C (36°F and 46°F) for up to 10 weeks					
Thawing Frozen Vaccine Do NOT refreeze thawed vaccine.	<b>Between:</b> 2°C and 8°C (36°F and 46°F). Amount of time needed varies based on temperature and number of vials.  OR  Up to 25°C (77°F) for 30 minutes						
Storage Temperature: After Puncture	<b>Between:</b> 2°C and 25°C (36°F and 77° Discard vial and any unuse	Between:  2°C and 25°C (36°F and 77°F) for up to 6 hours.  Discard vial and any unused vaccine after 6 hours.					

<sup>\*</sup> Vaccine expires 12 months after the manufacture date on the vial.

**06/20/2022** CS321570-AN

<sup>†</sup> Purple cap vaccine should not be used past the 12-month expiration. For vials with expiration dates of October 2021 through March 2022, the printed date on the label/carton reflects 6-month expiry. For vials with expiration dates of June 2022 through December 2022, the printed date on the label/carton reflects 9-month expiration date. The vaccine should not be used past the 12-month expiration date as noted in the HCP Fact Sheet.



#### Pfizer-BioNTech COVID-19 Vaccine Products At-A-Glance

Maroon cap: 6 Months through 4 Years of Age Orange cap: 5 through 11 years of age Gray or Purple cap: 12 years of age and older





# **Preparation and Administration Basics**

**NOTE:** Find additional guidance on properly preparing and administering the vaccine at:

- CDC's COVID-19 Clinical materials for Pfizer-BioNTech COVID-19 Vaccine: <a href="www.cdc.gov/vaccines/covid-19/">www.cdc.gov/vaccines/covid-19/</a>
   info-by-product/pfizer/administration
- CDC's Vaccine administration library: <a href="https://www.cdc.gov/vaccines/hcp/admin/resource-library.html">www.cdc.gov/vaccines/hcp/admin/resource-library.html</a>

## **Preparation**

Vial cap color	Maroon Cap	Orange Cap Gray Cap		Purple Cap
Ages	6 months through 4 years	5 through 11 years	12 years and older	
Diluent*	2.2 mL per vial	1.3 mL per vial	No diluent	1.8 mL per vial
Beyond-use date/ time	Use within 12 hours after mixing.	Use within 12 hours after mixing.	Use within 12 hours after mixing.	Use within 6 hours after mixing.

<sup>\*</sup> Diluent: Use sterile 0.9% sodium chloride (normal saline, preservative-free) included in the ancillary supply kit. Do not use bacteriostatic 0.9% sodium chloride or any other diluent.

#### **Administration**

Recipient's Age	Use	Administer	Route	Needle gauge and length	Site
6 months through 4 years	Maroon cap and maroon bordered label	0.2 mL	IM injection	22–25 gauge, 1"	6 months – 2 years of age: Vastus lateralis muscle in the anterolateral thigh <sup>†</sup>
					<b>3 years and older:</b> Deltoid muscle in the upper arm <sup>‡</sup>
5 – 11 years	<ul><li>Orange cap and</li><li>orange bordered label</li></ul>	0.2 mL	IM injection	22–25 gauge, 1"	Deltoid muscle in the upper arm <sup>‡</sup>
12 years of age and older	Gray cap and gray bordered label	0.3 mL	IM injection	22–25 gauge, 1 – 1½"	Deltoid muscle in the upper arm <sup>‡</sup>
	Purple cap and purple bordered label	0.3 mL	IM injection	22–25 gauge, 1 – 1½"	Deltoid muscle in the upper arm <sup>‡</sup>

<sup>†</sup> The deltoid muscle in the upper arm may be used if the muscle mass is adequate.

**06/20/2022** CS321570-AN

<sup>‡</sup> Vastus lateralis muscle in the anterolateral thigh may be used.



### Pfizer-BioNTech COVID-19 Vaccine Products At-A-Glance

Maroon cap: 6 Months through 4 Years of Age Orange cap: 5 through 11 years of age Gray or Purple cap: 12 years of age and older






## **Scheduling Doses**


**NOTE:** Schedules below outline the number of doses of Pfizer-BioNTech COVID-19 vaccine based on age and immune status. For detailed clinical guidance on scheduling doses:

CDC's Interim COVID-19 Immunization Schedule: <a href="https://www.cdc.gov/vaccines/covid-19/downloads/COVID-19-immunization-schedule-ages-5yrs-older.pdf">www.cdc.gov/vaccines/covid-19/downloads/COVID-19-immunization-schedule-ages-5yrs-older.pdf</a>

#### **For Most Persons**



#### For Moderately or Severely Immunocompromised Persons



<sup>\*</sup> Age-appropriate mRNA COVID-19 vaccines are preferred over Janssen COVID-19 Vaccine for primary and booster vaccination. Janssen COVID-19 Vaccine should only be used in limited situations. See: <a href="https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#considerations-Janssen">https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#considerations-Janssen</a>.

06/20/2022 CS321570-AN 3

<sup>† 2</sup>nd booster dose for some groups.